## 18-642 Project 3 Checklist

Name:

1) Variables and procedures have minimum scope It is fine to define all variables at the front of the procedure Defining at smaller scope (such as within a "{}" block) is at your discretion
2) All variables are automatic Allocated on the stack unless required to be permanently allocated
3) All variables use strongest and simplest type possible, with no floats Add extra typedefs at your discretion
4) All base types are from stdint.h Variable size is at your discretion within reason
5) Geometric pairs (e.g. (X,Y)) are coupled using typedefs
6) #define is not used
7) "Magic numbers" are not used Use const for single values and enum for sets of related values
8) Switch statements are used to decide among enum values rather than if/else if
9) Every switch statement has a default error handling clause Activates ROS_ERROR
10) Every variable has a meaningful name Does not require explanation to someone else
11) Code is commented At a minimum, comment each function: purpose, inputs, outputs, saved internal state
12) Code conforms to Spaghetti Factor guidelines  (number of globals:)*5 + SCC: + (SLOC:)/20 ⇒ SF: in single most complicated procedure/function with highest SF NOT whole file.  Only count globals referenced by the procedure in question.  Be ready to defend complexity above SF=10 as being absolutely necessary
13) All the code is in a single .cpp file
14) All conditionally executed statements are enclosed by "{}"
15) All indentation and similar style is consistent
16) No copy-pasted code is present  Blocks of code that have the same functionality are factored out into modules